

# SAFETY DATA SHEET

**CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD** (HCS) 29 CFR 1910.1200

Page 1 of 5

**Revision Date Supersedes Date** 

5/1/2018 8/24/2015

#### **SECTION 1. IDENTIFICATION**

**Product identifier:** Compresyn® HD DSR ISO 46

**HDDSRJ** Part number:

**Identified uses:** Lubricant where there is no possibility of contact with food

**Uses advised against:** Not for use where there is the possibility of contact with food. Other uses advised against may be specified elsewhere in this

SDS.

Compresyn® **Supplier:** 

> W134 N5373 Campbell Drive Menomonee Falls, WI 53051 USA

**Email contact:** info@compresyn.com

Non-emergency Phone: 262-252-5690 Toll-free: 855-423-5690 Fax: 262-781-3906

contact:

**INFOTRAC: Emergency telephone:** 

> North America 1-800-535-5053 Australia 1-300-366-961 Germany 0800-181-2926

China 400-120-0761 International 011-1-352-323-3500 (collect)

## **SECTION 2. HAZARD(S) IDENTIFICATION**

**Classification:** Skin Sensitization Cat. 1; STOT RE (Oral) Cat. 2 (Liver, Kidney); Reproductive Toxicity Cat. 2

**Label elements** Pictograms:



Signal word:

**Hazard statements:** May cause allergic skin reaction. May cause damage to organs through prolonged or repeated exposure. Suspected of

damaging fertility or the unborn child.

**Precautionary** 

statements:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. Do not breathe fume/ mist/ vapors/ spray.

Contaminated work clothing should not be allowed out of the workplace. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Wash contaminated clothing before reuse. If exposed or concerned: Call a

poison center/ doctor. Store locked up. Dispose of contents/ container in accordance with local/ regional/ national/

international regulations.

Hazards not otherwise Harmful to aquatic life with long lasting effects.

classified:

Additional information: Not applicable.

#### **SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

Composition:	<u>Chemical name</u>	<u>%</u>	<u>CAS #</u>	<u>Impurities</u>
	Benzenamine, N-phenyl-, reaction products with 2,4,4-	0.1-3	68411-46-1	None
	trimethylpentene N-1-naphthylaniline	0.1-3	90-30-2	None
	tris(methylphenyl) phosphate	<1	1330-78-5	None

#### **SECTION 4. FIRST-AID MEASURES**

#### First aid measures

Eye contact: Remove contact lenses, if wearing, and flush eyes with water for at least 15 minutes or until irritation subsides. If irritation

persists, consult a physican.

Skin contact: Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before

reuse and discard oil-soaked shoes. If irritation persists, consult a physician.

If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention. Ingestion:

Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Consult a physician.

Compresyn® HD DSR ISO 46 Page 2 of 5
Revision Date

Supersedes Date

5/1/2018 8/24/2015

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention

immediately

Most important symptoms and effects, both acute and delayed:

May cause allergic skin reaction. May cause damage to organs through prolonged or repeated exposure. Suspected of

damaging fertility or the unborn child.

Indication of any immediate medical attention and special

No further relevant information available.

treatment available:

**General information:** No further relevant information available.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

<u>Suitable extinguishing</u> media:

Extinguishing media include dry chemical, alcohol foam, and carbon dioxide. Do not use direct stream of water. Water may be used to keep fire-exposed containers cool.

<u>Unsuitable</u>

Do not use direct stream of water.

extinguishing media: Specific hazards:

Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to keep containers cool. Burning

produces noxious and toxic fumes.

Advice for firefighters:

Firefighters should wear full protective gear, including helmet. Use supplied-air breathing equipment for enclosed or confined

space or as otherwise needed.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment

and emergency procedures:

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Prevent entry into sewers, waterways or confined areas by diking or impounding. Dike far ahead of spill for later recovery and disposal. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.

Methods for containment and cleaning up **Land spill:** Stop leak if you can do so without risk. Recover free product using non-sparking tools. Add sand, earth, or other suitable absorbent material to the spill area. Recover by pumping or with suitable absorbents. Dispose of in accordance with national and/or local regulations relating to waste disposal.

**Water spill:** Stop leak if you can do so without risk. Confine the spill immediately with booms. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.

## **SECTION 7. HANDLING AND STORAGE**

<u>Precautions for safe</u> handling:

Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.

Conditions for safe storage, including any incompatibilities: Store in a cool, dry place in tightly sealed containers. Store out of direct sunlight. Do not store near heat, sparks, open flame, pilot lights, static electricity, or other sources of ignition. Do not store where temperature may exceed 49°C (120°F). Store away from oxidizing agents. Rotate stock.

## **SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

Workplace exposure

**Chemical name** 

**Exposure limit and source** 

limits:

Benzenamine, N-phenyl-, reaction products with 2,4,4-

trimethylpentene N-1-naphthylaniline

10 ml/m3 TWA, ACGIH

tris(methylphenyl) phosphate

Not available

Not available

**Exposure controls** 

**Engineering controls:** 

Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapors below their respective

occupational exposure limits.

**Ventilation:** Use in a well-ventilated area. See Engineering Controls.

Personal hygiene: Handle in accordance with good industrial hygiene and safety practice. Wash skin thoroughly after contact, before breaks and

meals and at the end of the work period. Do not eat, drink or smoke when using this product.

Eye protection: Chemical splash goggles or face shield in compliance with OSHA regulations are advised when eye contact may occur.

Hand protection: Polyvinyl alcohol or nitrile-butyl-rubber gloves. Before removing gloves, clean them with soap and water.

Page 3 of 5 Compresyn® HD DSR ISO 46

5/1/2018 **Revision Date** 8/24/2015 **Supersedes Date** 

Respiratory protection: Use with adequate ventilation. Respiratory protective equipment is not normally required where there is adequate natural or

local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. A

NIOSH/MSHA-approved air-supplied respirator is advised in absence of proper environmental control.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES** 

Clear lube oil with little or no odor Upper flammability limit: Not available Appearance / odor:

> Lower flammability limit: Not available

Liquid Physical state: Vapor pressure: Nil

Odor threshold: Not available Vapor density:

Not available Not available pH:

Melting / freezing point: Not available Relative density: 0.93 (typical)

**Initial boiling point** Not available

and boiling range: Not available **Solubility in water:** 

Flash point: 469°F (243°C), ASTM D 92 **Partition coefficient** Not available

(n-octanol/water):

**Evaporation rate:** Nil **Autoignition temperature:** Not available

Decomposition temperature: Not available

Flammability (solid, gas): Not applicable Not available Viscosity:

**SECTION 10. STABILITY AND REACTIVITY** 

Reactivity: Not reactive under normal conditions. Stable under recommended conditions. **Chemical stability:** 

Possibility of Hazardous reactions are not expected to occur.

hazardous reactions:

Conditions and materials to avoid:

Avoid heat, sparks, open flames and oxidizing materials.

Hazardous decomposition Carbon oxides; Nitrogen oxides (NOx); Oxides of phosphorus.

products:

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure

No known significant effects or critical hazards. Eve contact:

Skin contact: May cause allergic skin reaction. Suspected of damaging fertility or the unborn child.

Inhalation: Suspected of damaging fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure. Suspected of damaging fertility or the unborn child. Ingestion:

LC<sub>50</sub> Components Component

information: Benzenamine, N-phenyl-, reaction products with 2,4,4- >2000 mg/kg (oral, rat) Not available

trimethylpentene

>5000 mg/kg (dermal, rabbit) N-1-naphthylaniline Not available tris(methylphenyl) phosphate Not available 15750 mg/kg (oral, rat)

Information on physical, chemical and toxicological effects

**Symptoms:** See Section 4 of this SDS for symptoms.

Delayed and immediate effects, and chronic effects, from short and long-terms exposure

Effects: May cause allergic skin reaction. May cause damage to organs through prolonged or repeated exposure. Suspected of

damaging fertility or the unborn child.

Carcinogenicity: This product does not contain a carcinogen or potential carcinogen as listed by NTP or IARC.

Numerical measures of Not determined

toxicity:

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity:** Harmful to aquatic life with long lasting effects.

L(E)C<sub>50</sub> Component Components

Page 4 of 5 Compresyn® HD DSR ISO 46

**Revision Date Supersedes Date**  5/1/2018 8/24/2015

information: Benzenamine, N-phenyl-, reaction products with 2,4,4- >71 mg/l/96h [Danio rerio (zebra fish)]

trimethylpentene

N-1-naphthylaniline 0.68 mg/l/48h (Daphnia magna) tris(methylphenyl) phosphate 0.146 mg/l/48h (Daphnia magna)

Persistence and degradability:

Not determined

**Bioaccumulative** 

Not determined

potential:

Not available Mobility in soil: Other adverse effects: Not determined

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. methods:

Consult national or regional authorities for proper disposal and reporting procedures.

## **SECTION 14. TRANSPORTATION INFORMATION**

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

	Proper Shipping Name:	UN Number:	Hazard <u>Class:</u>	Packing Group:	Remarks:
<u>U.S. D.O.T.</u>	Not regulated	None	None	None	None
ADR/RID	Not regulated	None	None	None	None
<u>IMDG</u>	Not regulated	None	None	None	None
<u>IATA</u>	Not regulated	None	None	None	None

### **SECTION 15. REGULATORY INFORMATION**

### **U.S. Federal Regulations**

SARA Section 302 **Extremely Hazardous**  This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List:

**Substances:** 

**SARA Section 304 CERCLA Hazardous**  Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to

reporting to the National Response Center under CERCLA:

Substances: 1-naphthylamine (CAS # 134-32-7), RQ = 100 lbs.\*; 2-naphthylamine (CAS # 91-59-8), RQ = 10 lbs.\*; Aniline (CAS # 62-53-3),

RQ = 5000 lbs.\*

\*Calculated RQ exceeds reasonably attainable upper limit.

**SARA Section 313 Toxic** This product contains the following chemical(s) listed in Section 313 at or above the de minimis concentrations:

Chemicals:

None

None

TSCA Inventory: All components are either listed or exempted from listing on the TSCA Inventory.

**U.S. State Regulations** 

California Proposition

This product does not contain chemical(s) known to the State of California to cause cancer, birth defects, or other

reproductive harm.

California **Proposition 65** 

65 Status:

Not applicable

**Listed Components:** 

## **International Regulations**

Canada: This product has been classified in accordance with the hazard criteria of WHMIS 2015 and the SDS contains all of the

information required by those regulations.

Japan MITI: Not available Australia: Not available Switzerland: Not available

## **SECTION 16. OTHER INFORMATION**

**Sections Revised:** Section 15 5/1/2018 **Revision Date:** 

Compresyn® HD DSR ISO 46

Page 5 of 5

Revision Da

Revision Date Supersedes Date 5/1/2018 8/24/2015

The information and recommendations contained herein are, to the best of Compresyn®'s knowledge and belief, accurate and reliable as of the date issued. Compresyn® makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and Compresyn® shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with Compresyn®'s interpretation of the available data.

\*\*\* END OF SDS \*\*\*