



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 26.08.2016

Version number 1

Revision: 26.08.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: JAX Forming Chain Oil

Product Code(s): FCO68

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the preparation:

Lubricant where there is no possibility of contact with food.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

JAX INC.
 W134 N5373 CAMPBELL DRIVE
 MENOMONEE FALLS, WI 53051 USA
 Tel: +01-262-781-8850
 Fax: +01-262-781-3906
 E-mai: patty@jax.com
 Web: www.jax.com

Further information obtainable from:

REACH Only Representative
 B-Lands Consulting
 WTC, 5 Place Robert Schuman, BP 1516
 38025 Grenoble, FRANCE
 Tel: +33 476 295 869
 Fax: +33 476 295 870
 Email: europa@reach-compliance.eu
 Web: www.reachteam.eu

1.4 Emergency telephone number:

NHS Direct: 111 (England and Scotland), 0845 46 47 (Wales).
 Ireland - National Poisons Information Centre: +353 1 8379964.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H332 Harmful if inhaled.
 Skin Sens. 1 H317 May cause an allergic skin reaction.
 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:



GHS07

Signal word: Warning

Hazard-determining components of labelling:

Long-chain alkyl amine
 Sulfonic acids, petroleum, calcium salts.

Hazard statements:

H332 Harmful if inhaled.
 H317 May cause an allergic skin reaction.

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date

Version number 1

Revision:

Trade name: JAX Forming Chain Oil

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P273 Avoid release to the environment.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P312 Call a POISON CENTER/doctor if you feel unwell.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Hazardous components:		
CAS: 61789-86-4 EINECS: 263-093-9	Sulfonic acids, petroleum, calcium salts. Skin Sens. 1, H317	1-<2.5%
CAS: 68955-53-3	Long-chain alkyl amine Acute Tox. 3, H311; Acute Tox. 1, H330; Skin Corr. 1A, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Sens. 1, H317	0.1-<1%
	Alkyl phosphonate Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315	0.1-<0.25%
	Long-chain alkenyl amine Skin Corr. 1A, H314; Aquatic Acute 1, H400; Acute Tox. 4, H302	0.1-<0.25%
Non-hazardous components:		
CAS: 72623-86-0 EINECS: 276-737-9 Index number: 649-482-00-X	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based*	50-100%

Additional information:

*Contains <3% DMSO extract as measured by IP 346.
 For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures****General information:** No special measures required.**After inhalation:** Move patient to fresh air, if symptoms persist consult a doctor.**After skin contact:** Immediately wash with water and soap and rinse thoroughly.**After eye contact:**

Remove contact lenses, if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 26.08.2016

Version number 1

Revision: 26.08.2016

Trade name: JAX Forming Chain Oil

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

Use personal protective equipment.

6.2 Environmental precautions

Do not allow product to reach sewage system or any water course.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in a cool, dry place in tightly closed receptacles.

Information about storage in one common storage facility: Store away from oxidising agents.

Further information about storage conditions: None.

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 26.08.2016

Version number 1

Revision: 26.08.2016

Trade name: JAX Forming Chain Oil**Respiratory protection:**

In case of brief exposure use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

Protective gloves.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Eye protection:

Safety glasses with side-shields (EN 166).

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**General Information****Appearance:**

Form: Liquid.
Colour: Amber.

Odour: Sulfurous.
Odour threshold: Not determined.

pH-value: Not determined.

Melting point/Melting range: Not determined.

Boiling point/Boiling range: Not determined.

Flash point: 217 °C (ASTM D 92)

Flammability (solid, gaseous): Not applicable.

Ignition temperature: Not determined.

Decomposition temperature: Not determined.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined.
Upper: Not determined.

Oxidising properties: Not determined.

Vapour pressure: Not determined.

Density: Not determined.

Relative density: 0.885

Vapour density: Not determined.

Evaporation rate: Not determined.

Solubility in / Miscibility with

Water: Not determined.

Partition coefficient (n-octanol/water): Not determined.

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 26.08.2016

Version number 1

Revision: 26.08.2016

Trade name: JAX Forming Chain Oil**Viscosity:**

Dynamic: Not determined.
Kinematic: Not determined.

9.2 Other information No further relevant information available.**SECTION 10: Stability and reactivity****10.1 Reactivity** No data available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.**10.4 Conditions to avoid** Keep away from heat and direct sunlight.**10.5 Incompatible materials** Avoid strong oxidants, strong alkalis and strong acids.**10.6 Hazardous decomposition products** Carbon monoxide and carbon dioxide.**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity**

Harmful if inhaled.

LD/LC50 values:**72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based***

Oral | LD50 | >5000 mg/kg (rat)

61789-86-4 Sulfonic acids, petroleum, calcium salts.

Oral | LD50 | >5000 mg/kg (rat) (OECD 401)

Additional Information: *Contains <3% DMSO extract as measured by IP 346.**Primary irritant effect:****Skin corrosion/irritation:** Based on available data, the classification criteria are not met.**Serious eye damage/irritation:** Based on available data, the classification criteria are not met.**Respiratory or skin sensitisation:**

May cause an allergic skin reaction.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**Germ cell mutagenicity:** Based on available data, the classification criteria are not met.**Carcinogenicity:** Based on available data, the classification criteria are not met.**Reproductive toxicity:** Based on available data, the classification criteria are not met.**STOT-single exposure:** Based on available data, the classification criteria are not met.**STOT-repeated exposure:** Based on available data, the classification criteria are not met.**Aspiration hazard:** Based on available data, the classification criteria are not met.**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:****61789-86-4 Sulfonic acids, petroleum, calcium salts.**

LC50/96h | >10000 mg/L (Fish) (OECD 203)

12.2 Persistence and degradability No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 26.08.2016

Version number 1

Revision: 26.08.2016

Trade name: JAX Forming Chain Oil**Ecotoxicological effects:****Remark:** Harmful to fish**General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation:** Do not allow product to reach sewage system.**Uncleaned packaging****Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information****14.1 UN Number****ADR, ADN, IMDG, IATA** Not applicable.**14.2 UN proper shipping name****ADR, ADN, IMDG, IATA** Not applicable.**14.3 Transport hazard class(es)****ADR, ADN, IMDG, IATA**
Class Not applicable.**14.4 Packing group****ADR, IMDG, IATA** Not applicable.**14.5 Environmental hazards****Marine pollutant:** No**14.6 Special precautions for user** Not applicable.**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Directive 2012/18/EU****Named dangerous substances - ANNEX I** None of the ingredients are listed.**15.2 Chemical safety assessment** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 26.08.2016

Version number 1

Revision: 26.08.2016

Trade name: JAX Forming Chain Oil

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 1: Acute toxicity, Hazard Category 1

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3