

# SAFETY DATA SHEET

**CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD** (HCS) 29 CFR 1910.1200

Page 1 of 4

**Revision Date** 1/2/2019 **Supersedes Date** 7/30/2015

# **SECTION 1. IDENTIFICATION**

**Product identifier:** JAX Magna-Plate® 500-2

Part number: 05002

**Identified uses:** Lubricant where there is no possibility of contact with food

**Uses advised against:** Not for use where there is the possibility of contact with food. Other uses advised against may be specified elsewhere in this

SDS.

**JAX INC** Supplier:

> W134 N5373 Campbell Drive Menomonee Falls, WI 53051 USA

**Email contact:** info@jax.com

Non-emergency Phone: 262-781-8850 Fax: 262-781-3906

contact:

**INFOTRAC: Emergency telephone:** 

> North America 1-800-535-5053 Australia 1-300-366-961 Germany 0800-181-2926

International 011-1-352-323-3500 (collect) China 400-120-0761

## **SECTION 2. HAZARD(S) IDENTIFICATION**

**Classification:** Skin Sensitization Cat. 1

**Label elements** Pictograms:

Signal word:

Warning **Hazard statements:** May cause an allergic skin reaction.

**Precautionary** 

statements: protective gloves. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/

Avoid breathing fume/ mist/ vapors/ spray. Contaminated work clothing should not be allowed out of the workplace. Wear attention. Wash contaminated clothing before reuse. Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise Not applicable.

classified:

Additional information: Not applicable.

## **SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

**Composition: Chemical name** CAS# **Impurities** <u>%</u> Sulfurized isobutylene 1-5 68511-50-2 None 2,5-bis(n-octyldithio)-1,3,4-thiadiazole <1 13539-13-4 None Proprietary Mineral oil Mixture None

# **SECTION 4. FIRST-AID MEASURES**

First aid measures

Remove contact lenses, if wearing, and flush eyes with water for at least 15 minutes or until irritation subsides. If irritation Eye contact:

persists, consult a physican.

Skin contact: Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before

reuse and discard oil-soaked shoes. If irritation persists, consult a physician.

If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention. Ingestion:

Never give anything by mouth to an unconscious person. Consult a physician.

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention

immediately.

May cause an allergic skin reaction. Most important

symptoms and effects, both acute and delayed:

Page 2 of 4

**Revision Date Supersedes Date** 

1/2/2019 7/30/2015

Indication of any

immediate medical

No further relevant information available.

attention and special treatment available:

No further relevant information available. **General information:** 

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media:

Extinguishing media include dry chemical, alcohol foam, and carbon dioxide. Do not use direct stream of water. Water may be used to keep fire-exposed containers cool.

Unsuitable

Do not use direct stream of water.

extinguishing media:

Specific hazards: Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to keep containers cool.

Advice for firefighters:

Firefighters should wear full protective gear, including helmet. Use supplied-air breathing equipment for enclosed or confined

space or as otherwise needed.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures:

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away.

**Environmental** precautions:

Prevent entry into sewers, waterways or confined areas by diking or impounding. Dike far ahead of spill for later recovery and disposal. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.

Methods for containment and cleaning up

Land spill: Stop leak if you can do so without risk. Recover free product using non-sparking tools. Add sand, earth, or other suitable absorbent material to the spill area. Recover by pumping or with suitable absorbents. Dispose of in accordance with national and/or local regulations relating to waste disposal.

Water spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.

#### SECTION 7. HANDLING AND STORAGE

**Precautions for safe** 

handling:

Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry place in tightly sealed containers. Store out of direct sunlight. Do not store near heat, sparks, open flame, pilot lights, static electricity, or other sources of ignition. Do not store where temperature may exceed 49°C (120°F). Store away from oxidizing agents. Rotate stock.

## **SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

Workplace exposure

limits:

Chemical name Sulfurized isobutylene **Exposure limit and source** 5 mg/m3 (mist), OSHA

2,5-bis(n-octyldithio)-1,3,4-thiadiazole

5 mg/m3 (mist), OSHA

Not available

Mineral oil

**Exposure controls** 

**Engineering controls:** Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapors below their respective

occupational exposure limits.

Ventilation: Use in a well-ventilated area. See Engineering Controls.

Personal hygiene: Wash skin thoroughly after contact, before breaks and meals and at the end of the work period. Product is readily removed

from skin by waterless hand cleaners followed by washing thoroughly with soap and water.

Eye protection: Chemical splash goggles or face shield in compliance with OSHA regulations are advised when eye contact may occur.

Hand protection: Any lined non-permeable rubber gloves.

Respiratory protection: Use with adequate ventilation. Respiratory protective equipment is not normally required where there is adequate natural or

local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. A

NIOSH/MSHA-approved air-supplied respirator is advised in absence of proper environmental control.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance / odor:

Red, tacky grease with characteristic odor

**Upper flammability limit:** 

Not available

Lower flammability limit:

Not available

Page 3 of 4 JAX Magna-Plate® 500-2

**Revision Date** 

Not available

Not available

1/2/2019 7/30/2015 **Supersedes Date** 

Semi-solid **Physical state:** 

Odor threshold: Not available

Not available pH:

Melting / freezing point: Not available Relative density: 0.91 (typical)

**Initial boiling point** 

Not available and boiling range:

Flash point: 450°F (232°C), ASTM D 92

Insoluble Solubility in water:

Partition coefficient Not available

(n-octanol/water):

Vapor pressure:

Vapor density:

**Evaporation rate:** Not available **Autoignition temperature:** Not available

**Decomposition temperature:** Not available

Viscosity: Not available

**SECTION 10. STABILITY AND REACTIVITY** 

Not reactive under normal conditions. **Reactivity:** Stable under recommended conditions.

Not applicable

**Chemical stability:** 

Possibility of

Flammability (solid, gas):

Hazardous reactions are not expected to occur. hazardous reactions:

**Conditions and** materials to avoid:

Avoid heat, sparks, open flames and oxidizing materials.

Hazardous decomposition products:

Oxides of phosphorus; nitrogen oxides (NOx); carbon oxides; sulphur oxides.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

No known significant effects or critical hazards. Eye contact:

Skin contact: May cause an allergic skin reaction.

Inhalation: No known significant effects or critical hazards. No known significant effects or critical hazards. Ingestion:

LD<sub>50</sub> LC<sub>50</sub> Components Component

information: Sulfurized isobutylene 5000 mg/kg (oral, rat) Not available

> 2,5-bis(n-octyldithio)-1,3,4-thiadiazole Not available Not available Mineral oil Not available Not available

Information on physical, chemical and toxicological effects

**Symptoms:** See Section 4 of this SDS for symptoms.

Delayed and immediate effects, and chronic effects, from short and long-terms exposure

Effects: May cause an allergic skin reaction.

Carcinogenicity: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

Numerical measures of Not determined

toxicity:

## **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity:** Not available

<u>L(E)C</u><sub>50</sub> Component Components

information: 1000 mg/l/48h (Daphnia magna) Sulfurized isobutylene

> 2,5-bis(n-octyldithio)-1,3,4-thiadiazole Not available Mineral oil Not available

Persistence and

degradability:

Not determined

**Bioaccumulative** Not determined

Page 4 of 4 JAX Magna-Plate® 500-2

1/2/2019 **Revision Date** 7/30/2015 **Supersedes Date** 

potential:

Mobility in soil: Not available Other adverse effects: Not determined

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

methods: Consult national or regional authorities for proper disposal and reporting procedures.

#### **SECTION 14. TRANSPORTATION INFORMATION**

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

	Proper Shipping Name:	UN Number:	Hazard <u>Class:</u>	Packing <u>Group:</u>	Remarks:
<u>U.S. D.O.T.</u>	Not regulated	None	None	None	None
ADR/RID	Not regulated	None	None	None	None
<u>IMDG</u>	Not regulated	None	None	None	None
<u>IATA</u>	Not regulated	None	None	None	None

#### **SECTION 15. REGULATORY INFORMATION**

#### **U.S. Federal Regulations**

SARA Section 302

This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List:

**Extremely Hazardous** 

Substances:

Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to reporting to the National Response Center under CERCLA:

SARA Section 304 **CERCLA Hazardous** 

**Substances:** 

SARA Section 313 Toxic This product contains the following chemical(s) listed in Section 313 at or above the de minimis threshold value:

Chemicals: Zinc compounds, present at 1.7%

None

None

TSCA Inventory: All components are either listed or exempted from listing on the TSCA Inventory.

**U.S. State Regulations** 

California Proposition

65 Status:

This product does not contain chemical(s) known to the State of California to cause birth defects or other reproductive harm.

California

**Proposition 65** 

**Listed Components:** 

#### **International Regulations**

Canada: This product has been classified in accordance with the hazard criteria of WHMIS 2015 and the SDS contains all of the

information required by those regulations.

Japan MITI: Not available Australia: Not available Switzerland: Not available

## **SECTION 16. OTHER INFORMATION**

**Sections Revised:** Section 2 1/2/2019 **Revision Date:** 

The information and recommendations contained herein are, to the best of JAX INC's knowledge and belief, accurate and reliable as of the date issued. JAX INC makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and JAX INC shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with JAX INC's interpretation of the available data.