

SAFETY DATA SHEET

CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD (HCS) 29 CFR 1910.1200

SECTION 1. IDENTIFICATION

Product identifier:	JAX White Mineral Oil 15		
Part number:	WM015		
Identified uses:	Direct food-contact lubricant; release agent		
Uses advised against:	As a direct food-contact lubricant, there are no elsewhere in this SDS.	specific uses advised against. Pote	ential uses advised against may be specified
Supplier:	JAX INC.		
	W134 N5373 Campbell Drive		
	Menomonee Falls, WI 53051 USA		
Email contact:	info@jax.com		
Non-emergency	Phone: 262-781-8850 Fax: 262-781-390	6	
<u>contact:</u>			
Emergency telephone:	INFOTRAC:		
	North America 1-800-535-5053	Australia 1-300-366-961	Germany 0800-181-2926
	International 011-1-352-323-3500 (collect)	China 400-120-0761	
SECTION 2. HAZARD(S)	IDENTIFICATION		
Classification:	Aspiration Toxicity Cat. 1		

SE

<u>Classification:</u>	Aspiration Toxicity Cat. 1
<u>Label elements</u> Pictograms:	
Signal word:	Danger
Hazard statements:	May be fatal if swallowed and enters airways.
Precautionary statements:	IF SWALLOWED: Immediately call a poison center/ doctor. Do NOT induce vomiting. Store locked up. Dispose of contents/ container in accordance with local/ regional/ national/ international regulations.
llesende wet ethemulee	Neteralizable

Hazards not otherwise Not applicable classified:

Additional information: Not applicable

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS <u>CAS #</u> Composition: **Chemical name Impurities** <u>%</u> White mineral oil (petroleum), <20.5 cSt @ 40°C 100 8042-47-5 None **SECTION 4. FIRST-AID MEASURES**

First aid measures	
Eye contact:	Remove contact lenses, if wearing, and flush eyes with water for at least 15 minutes or until irritation subsides. If irritation persists, consult a physican.
Skin contact:	Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before reuse and discard oil-soaked shoes. If irritation persists, consult a physician.
Ingestion:	If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention. Never give anything by mouth to an unconscious person. Consult a physician. This is not a toxic substance.
Inhalation:	Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately.
Most important symptoms and effects, both acute and delayed:	May be fatal if swallowed and enters airways.
Indication of any immediate medical attention and special treatment available:	See First aid measures (above).
General information:	No further relevant information available.

SECTION 5. FIRE-FIGHTING MEASURES

JAX White Mineral Oil 15	F	Page 2 of 4 Revision Date Supersedes Date	7/30/2015 6/1/2015
<u>Suitable extinguishing</u> <u>media:</u>	Extinguishing media include dry chemical, alcohol foam, and carbon dioxide. Do not use direct s used to keep fire-exposed containers cool.	stream of water. W	/ater may be
<u>Unsuitable</u> extinguishing media:	Do not use direct stream of water.		
Specific hazards:	Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to ke	eep containers coo	l.
Advice for firefighters:	Firefighters should wear full protective gear, including helmet. Use supplied-air breathing equip space or as otherwise needed.	oment for enclosed	or confined

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away.
Environmental precautions:	Prevent entry into sewers, waterways or confined areas by diking or impounding. Dike far ahead of spill for later recovery and disposal. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.
<u>Methods for</u> <u>containment and</u> <u>cleaning up</u>	 Land spill: Stop leak if you can do so without risk. Recover free product using non-sparking tools. Add sand, earth, or other suitable absorbent material to the spill area. Recover by pumping or with suitable absorbents. Dispose of in accordance with national and/or local regulations relating to waste disposal. Water spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Remove from the surface by skimming or with suitable absorbents.
FCTION 7 HANDLING AN	D STORAGE

SECTION 7. HANDLING AND STORAGE

Precautions for safe	Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Do not handle at
handling:	temperatures greater than 104°F (40°C) unless wearing appropriate protective equipment.
<u>Conditions for safe</u>	Store in a cool, dry place in tightly sealed containers. Store out of direct sunlight. Do not store near heat, sparks, open flame,
<u>storage, including any</u>	pilot lights, static electricity, or other sources of ignition. Do not store at temperatures greater than 104°F (40°C) without
incompatibilities:	proper safety review of storage equipment. Store away from oxidizing agents. Rotate stock.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Workplace exposure limits:	<u>Chemical name</u> White mineral oil (petroleum), <20.5 cSt @ 40°C	Exposure limit and source 5 mg/m ³ (oil mist), TWA, ACGIH				
Exposure controls						
Engineering controls:	Provide exhaust ventilation or other engineering controls occupational exposure limits.	ust ventilation or other engineering controls to keep the airborne concentration of vapors below their respective exposure limits.				
Ventilation:	Use in a well-ventilated area. See Engineering Controls.					
Personal hygiene:	Wash skin thoroughly after contact, before breaks and meals and at the end of the work period. Product is readily removed from skin by waterless hand cleaners followed by washing thoroughly with soap and water.					
Eye protection:	Chemical splash goggles or face shield in compliance with	OSHA regulations are advised when eye contact may occur.				
Hand protection:	d protection: Any lined non-permeable rubber gloves.					
Respiratory protection	Not expected to be needed. If used in a way that generat	es a vanor/mist, wear an organic vanor respirator				

Respiratory protection: Not expected to be needed. If used in a way that generates a vapor/mist, wear an organic vapor respirator.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance / odor:	Water white lube oil with little or no odor	Upper flammability limit:	Not available
		Lower flammability limit:	Not available
Physical state:	Liquid	Vapor pressure:	Negligible
Odor threshold:	Not available	Vapor density:	Net eventleble
<u>рН:</u>	Not available		Not available
Melting / freezing point	<u>t:</u> Not available	Relative density:	0.86 (typical)
Initial boiling point	Not available		
and boiling range:		Solubility in water:	Negligible
Flash point:	331°F (166°C), ASTM D 92	Partition coefficient (n-octanol/water):	Not available
Evaporation rate:	Not available	Autoignition temperature:	Not available

	AX White Mineral Oil 15				Page 3 of 4 Revision Date Supersedes Date	7/30/2015 6/1/2015		
Flammability (solid, gas): Not applicable		Not applicable	Decomposition temperature:	Not avail	Not available			
			<u>Viscosity:</u>	Not avail	able			
SECTION 10. STABILITY AND REACTIVITY								
	Reactivity:	Not reactive under normal conditions.						
	Chemical stability:	Stable under recommended conditions.						
	<u>Possibility of</u> hazardous reactions:	Hazardous reactions are not expected to occur.						
	Conditions and materials to avoid:	Avoid heat, sparks, open flames, oxidizing agents ar	nd acids.					
	<u>Hazardous</u> decomposition products:	Carbon monoxide, carbon dioxide, smoke and irritating vapors as products of incomplete combustion.						
SE	CTION 11. TOXICOLOG	GICAL INFORMATION						
	Information on likely ro	utes of exposure						
	Eye contact:	No known significant effects or critical hazards.						
	Skin contact:	No known significant effects or critical hazards.						
	Inhalation:	May be fatal if swallowed and enters airways.						
	Ingestion:	May be fatal if swallowed and enters airways.						
	Component information:	<u>Components</u> White mineral oil (petroleum), <20.5 cSt @ 40°C	<u>LD_{so}</u> Not available	<u>LC_{sc} No</u>	t available			
	Information on physical	, chemical and toxicological effects						
	Symptoms:	Please see Section 4 of this SDS for symptoms.						
	Delayed and immediate	effects, and chronic effects, from short and long-ter	ms exposure					
	Effects:	May be fatal if swallowed and enters airways.						
	Carcinogenicity:	No component of this product present at levels great carcinogen by NTP.	ater than or equal to 0.1% is ide	entified as	a known or anticipat	ed		
	<u>Numerical measures of</u> toxicity:	Not determined						
SE	CTION 12. ECOLOGICA	L INFORMATION						
	Ecotoxicity:	Not available						
	Component	Components	<u>L(E)C₅₀</u>					
	information:	White mineral oil (petroleum), <20.5 cSt @ 40°C	Not available					
	Persistence and degradability:	Not determined						
	Bioaccumulative potential:	Not determined						
	Mobility in soil:	Not available						
	Other adverse effects:	Not determined						
SE	CTION 13. DISPOSAL C	CONSIDERATIONS						
	<u>Waste treatment</u> methods:	Disposal must be in accordance with current applica Consult national or regional authorities for proper d	-		aracteristics at time	of disposal.		

SECTION 14. TRANSPORTATION INFORMATION

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

	Proper Shipping Name:	UN Number:	Hazard <u>Class:</u>	Packing <u>Group:</u>	Remarks:
<u>U.S. D.O.T.</u>	Not regulated	None	None	None	None
ADR/RID	Not regulated	None	None	None	None

							Supersedes	Date	6/1/2015
<u>IMDG</u> IATA	Not regula		None	None	None	None			
	Not regula		None	None	None	None			
SECTION 15. R	EGULATOR	Y INFORMATION							
U.S. Federal	Regulations								
SARA Section 302 Extremely Hazardous Substances:		This product conta None	ins greater than	1.0% of the	following ch	emical(s) on the SAR	A Extremely Hazardous Su	bstan	ces List:
SARA Section 304 CERCLA Hazardous Substances:		Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to reporting to the National Response Center under CERCLA: None							
SARA Section Chemicals:	on 313 Toxic	This product conta None	ins the following	chemical(s)	listed in Sec	tion 313 at or above	the de minimis concentra	tions:	
TSCA Inventory:		All components of	this material are	on the U.S.	TSCA Invent	ory.			
U.S. State Re	gulations								
California F 65 Status	Proposition	This product does	not contain chen	nical(s) knov	vn to the Sta	te of California to ca	use birth defects or other	repro	ductive harm.
California Proposition Listed Com		None							
<u>Internationa</u>	l Regulations	<u>s</u>							
Canada:		•	•				Act. This product has been rmation required by CPR.	n clas	sified in
Japan MITI:		Not available							
Australia:		Not available							
Switzerland	l:	Not available							
SECTION 16. C	THER INFO	RMATION							
Sections Rev	<u>vised:</u>	New SDS format							
Revision Dat	e:	7/30/2015							

The information and recommendations contained herein are, to the best of JAX INC.'s knowledge and belief, accurate and reliable as of the date issued. JAX INC. makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and JAX INC. shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with JAX INC.'s interpretation of the available data.

*** END OF SDS ***