

# SAFETY DATA SHEET

**CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD** (HCS) 29 CFR 1910.1200

Page 1 of 5

**Revision Date** 12/1/2020 **Supersedes Date** 11/24/2020

#### **SECTION 1. IDENTIFICATION**

Product identifier: JAX Magna-Kote® 467 FG-3H

Part number: 4673H

**Identified uses:** Lubricant where there may be incidental food contact

**Uses advised against:** Not intended for direct food contact. Other uses advised against may be specified elsewhere in this SDS.

JAX INC. **Supplier:** 

> W134 N5373 Campbell Drive Menomonee Falls, WI 53051 USA

**Email contact:** info@jax.com

Non-emergency Phone: 262-781-8850 Fax: 262-781-3906

contact:

**INFOTRAC: Emergency telephone:** 

> North America 1-800-535-5053 Australia 1-300-366-961 Germany 0800-181-2926

China 400-120-0761 International 011-1-352-323-3500 (collect)

# **SECTION 2. HAZARD(S) IDENTIFICATION**

**Classification:** Flammable Liquid Cat. 3; Skin Irritation Cat. 2; Eye Irritation Cat. 2A; STOT SE 3 (Central nervous system); Aspiration Toxicity Cat

1; Acute Toxicity (Oral) Cat. 4

**Label elements** Pictograms:

Signal word:

**Hazard statements:** Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful if

swallowed. May be fatal if swallowed and enters airways.

**Precautionary** 

Keep away from heat/sparks/open flames/ hot surfaces. - No smoking. Keep container tightly closed. Ground/ Bond container statements:

and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/ eye protection/ face protection. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid breathing fume/ mist/ vapors/ spray. Use only outdoors or in a well-ventilated area. IF SWALLOWED: Immediately call a poison center/ doctor. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. In case of fire: Use carbon dioxide (CO2), dry sand, dry chemical or alcohol-resistant foam for extinction. Store locked up in a well-ventilated place. Keep cool. Dispose of contents/

container in accordance with local/regional/national/international regulations.

Hazards not otherwise Not applicable.

Danger

classified:

Additional information: Not applicable.

#### **SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

Composition: **Impurities** Chemical name

75-95 Naphtha (petroleum), hydrotreated heavy\* 64742-48-9 None

# **SECTION 4. FIRST-AID MEASURES**

First aid measures

Eve contact: Remove contact lenses, if wearing, and flush eyes with water for at least 15 minutes or until irritation subsides. If irritation

persists, consult a physican.

Skin contact: Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before

reuse and discard oil-soaked shoes. If irritation persists, consult a physician.

Page 2 of 5 JAX Magna-Kote® 467 FG-3H **Revision Date** 

**Supersedes Date** 

12/1/2020 11/24/2020

If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention. Ingestion:

Never give anything by mouth to an unconscious person. Consult a physician.

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention

immediately.

Most important symptoms and effects, Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters

airways.

both acute and delayed:

Indication of any

See First aid measures (above).

immediate medical attention and special treatment available:

**General information:** No further relevant information available.

### **SECTION 5. FIRE-FIGHTING MEASURES**

**Suitable extinguishing** 

media:

Extinguishing media include carbon dioxide (CO2), dry sand, dry chemical or alcohol-resistant foam. Do not use direct stream of water. Water may be used to keep fire-exposed containers cool.

Do not use direct stream of water.

extinguishing media:

Unsuitable

Specific hazards: Flammable liquid and vapor. Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to keer

containers cool.

Advice for firefighters:

Firefighters should wear full protective gear, including helmet. Use supplied-air breathing equipment for enclosed or confined

space or as otherwise needed.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment

and emergency procedures:

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away.

**Environmental** precautions:

Prevent entry into sewers, waterways or confined areas by diking or impounding. Dike far ahead of spill for later recovery and disposal. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.

Methods for containment and cleaning up

Land spill: Stop leak if you can do so without risk. Recover free product using non-sparking tools. Add sand, earth, or other suitable absorbent material to the spill area. Recover by pumping or with suitable absorbents. Dispose of in accordance with national and/or local regulations relating to waste disposal.

Water spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.

# **SECTION 7. HANDLING AND STORAGE**

**Precautions for safe** handling:

Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Keep ignition sources away -Do not smoke. Protect against electrostatic discharges.

**Conditions for safe** storage, including any incompatibilities:

Store in a cool, dry place in tightly sealed containers. Store out of direct sunlight. Do not store near heat, sparks, open flame, pilot lights, static electricity, or other sources of ignition. Do not store where temperature may exceed 49°C (120°F). Store away from oxidizing agents. Rotate stock.

#### **SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Chemical name** Workplace exposure **Exposure limit and source** 

limits: Not available Naphtha (petroleum), hydrotreated heavy\*

**Exposure controls** 

**Engineering controls:** Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapors below their respective

occupational exposure limits.

Ventilation: Use in a well-ventilated area. See Engineering Controls.

Personal hygiene: Wash skin thoroughly after contact, before breaks and meals and at the end of the work period. Product is readily removed

from skin by waterless hand cleaners followed by washing thoroughly with soap and water.

Eye protection: Chemical splash goggles or face shield in compliance with OSHA regulations are advised when eye contact may occur.

Hand protection: Any lined non-permeable rubber gloves.

Respiratory protection: Use with adequate ventilation. Respiratory protective equipment is not normally required where there is adequate natural or

Page 3 of 5 JAX Magna-Kote® 467 FG-3H

12/1/2020 **Revision Date Supersedes Date** 11/24/2020

local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. A NIOSH/MSHA-approved air-supplied respirator is advised in absence of proper environmental control.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES** 

Light straw colored liquid with petroleum odor Upper flammability limit: Not available Appearance / odor:

> Lower flammability limit: Not available

Liquid **Physical state:** Not available Vapor pressure:

**Odor threshold:** Not available Vapor density:

Not available Not available

Melting / freezing point: Not available Relative density: 0.76 (typical)

**Initial boiling point** Not available and boiling range: Solubility in water: Negligible

Flash point: Not available 131°F (55°C), ASTM D 56 Partition coefficient (n-

octanol/water):

**Evaporation rate:** Not available **Autoignition temperature:** Not available

**Decomposition temperature:** Not available

Flammability (solid, gas): Not applicable Viscosity: Not available

**SECTION 10. STABILITY AND REACTIVITY** 

Reactivity: Not reactive under normal conditions. Stable under recommended conditions. **Chemical stability:** 

Possibility of Hazardous reactions are not expected to occur.

hazardous reactions:

pH:

Conditions and Keep away from heat, sparks, open flames and other sources of ignition, and direct sunlight. Incompatible materials include

materials to avoid: strong oxidizing agents, strong alkalis and strong acids.

Hazardous Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

decomposition products:

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact: Causes serious eye irritation.

Skin contact: Causes skin irritation.

Inhalation: May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Ingestion:

Components <u>LD</u>50 <u>LC</u>50 Component

information: Not available Naphtha (petroleum), hydrotreated heavy\* >5000 mg/kg (oral, rat)

Information on physical, chemical and toxicological effects

**Symptoms:** See Section 4 of this SDS for symptoms.

Delayed and immediate effects, and chronic effects, from short and long-terms exposure

Effects: Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters

airways.

Carcinogenicity: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

Numerical measures of Not determined

toxicity:

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity:** Not available

Component L(E)C<sub>50</sub> Components information:

Naphtha (petroleum), hydrotreated heavy\* Not available

Page 4 of 5 JAX Magna-Kote® 467 FG-3H **Revision Date** 

12/1/2020 **Supersedes Date** 11/24/2020

Persistence and degradability:

Not determined

**Bioaccumulative** 

Not determined

potential:

**Mobility in soil:** Not available Other adverse effects: Not determined

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

methods: Consult national or regional authorities for proper disposal and reporting procedures.

#### **SECTION 14. TRANSPORTATION INFORMATION**

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

	Proper Shipping Name:	UN Number:	Hazard <u>Class:</u>	Packing <u>Group:</u>	Remarks:
<u>U.S. D.O.T</u> .	Petroleum distillates, n.o.s.	UN1268	3	III	Refer to Code of Federal Regulations, Title 49 (49 CFR) for additional information on provisions, packaging, and Limited Quantity exceptions.
ADR/RID	Petroleum distillates, n.o.s.	UN1268	3	III	None
<u>IMDG</u>	Petroleum distillates, n.o.s.	UN1268	3	Ш	None
<u>IATA</u>	Petroleum distillates, n.o.s.	UN1268	3	III	None

#### SECTION 15. REGULATORY INFORMATION

#### **U.S. Federal Regulations**

SARA Section 302 **Extremely Hazardous** 

This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List: None

**Substances:** 

Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to SARA Section 304

reporting to the National Response Center under CERCLA: **CERCLA Hazardous** 

Substances:

SARA Section 313 Toxic This product contains the following chemical(s) listed in Section 313 at or above the de minimis threshold value:

Chemicals:

TSCA Inventory: All components are either listed or exempted from listing on the TSCA Inventory.

**U.S. State Regulations** 

California Proposition

This product does not contain chemical(s) known to the State of California to cause birth defects or other reproductive harm.

65 Status:

California None

**Proposition 65 Listed Components:** 

#### **International Regulations**

Canada: This product has been classified in accordance with the hazard criteria of WHMIS 2015 and the SDS contains all of the

information required by those regulations.

Japan MITI: Not available Australia: Not available Switzerland: Not available

#### **SECTION 16. OTHER INFORMATION**

**Sections Revised:** Section 2 12/1/2020 **Revision Date:** 

The information and recommendations contained herein are, to the best of JAX INC.'s knowledge and belief, accurate and reliable as of the date issued. JAX INC. makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and JAX INC. shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with JAX INC.'s interpretation of the available data.

JAX Magna-Kote® 467 FG-3H

Revision Date 12/1/2020

Supersedes Date 11/24/2020

\*\*\* END OF SDS \*\*\*